

NOTICE OF EQUIPMENT DECONTAMINATION

This box has been checked for the following (please check off for certification):

NOTICE OF EQUIPMENT DECONTAMINATION

This box has been checked for the following (please check off for certification):

Print Type of Equipment in box above.

Print Type of Equipment in box above.

- Equipment **HAS BEEN** cleaned and/or emptied of chemicals prior to calling Asset Management.
- There is **NO** evidence of hazardous liquids or solids.
- There is **NO** visible sign of chemical contamination.
- There is **NO** evidence of bio-hazardous or infectious material.
- There is **NO** evidence of radioactive contamination.

- Equipment **HAS BEEN** cleaned and/or emptied of chemicals prior to calling Asset Management.
- There is **NO** evidence of hazardous liquids or solids.
- There is **NO** visible sign of chemical contamination.
- There is **NO** evidence of bio-hazardous or infectious material.
- There is **NO** evidence of radioactive contamination.

I certify that the equipment or fume hood has been prepared according to the guidelines provided by EH&S. (It will be the responsibility of the PI or Department Mgr. to ensure the above).

I certify that the equipment or fume hood has been prepared according to the guidelines provided by EH&S. (It will be the responsibility of the PI or Department Mgr. to ensure the above).

Print PI or Department Manager Name Phone #

Print PI or Department Manager Name Phone #

Signature of PI or Dept. Mgr. Name Date

Signature of PI or Dept. Mgr. Name Date

NOTICE OF EQUIPMENT DECONTAMINATION

This box has been checked for the following (please check off for certification):

NOTICE OF EQUIPMENT DECONTAMINATION

This box has been checked for the following (please check off for certification):

Print Type of Equipment in box above.

Print Type of Equipment in box above.

- Equipment **HAS BEEN** cleaned and/or emptied of chemicals prior to calling Asset Management.
- There is **NO** evidence of hazardous liquids or solids.
- There is **NO** visible sign of chemical contamination.
- There is **NO** evidence of bio-hazardous or infectious material.
- There is **NO** evidence of radioactive contamination.

- Equipment **HAS BEEN** cleaned and/or emptied of chemicals prior to calling Asset Management.
- There is **NO** evidence of hazardous liquids or solids.
- There is **NO** visible sign of chemical contamination.
- There is **NO** evidence of bio-hazardous or infectious material.
- There is **NO** evidence of radioactive contamination.

I certify that the equipment or fume hood has been prepared according to the guidelines provided by EH&S. (It will be the responsibility of the PI or Department Mgr. to ensure the above).

I certify that the equipment or fume hood has been prepared according to the guidelines provided by EH&S. (It will be the responsibility of the PI or Department Mgr. to ensure the above).

Print PI or Department Manager Name Phone #

Print PI or Department Manager Name Phone #

Signature of PI or Dept. Mgr. Name Date

Signature of PI or Dept. Mgr. Name Date